Manitoba
Mineral Resources

Petroleum Branch
360-1395 Ellice Ave, Winnipeg MB R3G 3P2
T 204-945-6577 F 204-945-0586
www.manitoba.ca

WEEKLY WELL ACTIVITY REPORT

PETROLEUM INDUSTRY ACTIVITY REPORT

(January 1/14 – August 4/14)

DRILLING ACTIVITY	To Aug 4/14	To Aug 6/13	2013 Total
Drilling Licences Issued	272	294	537
Licences Cancelled	10	60	62
Vertical Wells Drilled	22	14	32
Horizontal Wells Drilled	141	292	498
Stratigraphic Test Holes Drilled	0	1	2
Wells Drilled - Total	163	307	530
No. of Metres Drilled	304 743	585 835	1 020 796
Wells Re-entered	0	0	2
Wells Being Drilled	14	8	1
No. of Active Rigs	16	12	4
Wells Licenced but Not Spudded	293	180	200
Wells Completed as Potential Oil Wells	157	304	528
Wells Abandoned Dry	5	3	3
Wells Drilled but Not Completed	1	0	0
Other Completions	0	0	3
New Wells on Production	82	153	481

GEOPHYSICAL ACTIVITY

Geophysical Programs Licenced	10	10	17
Licences Cancelled	0	0	1
Kilometers Licenced	1 891	676	1 948
Kilometers Run	131	1 246	2 062

OIL PRICES (Average)	2014 $/m3 ($/bbl)	2013 $/m3 ($/bbl)
Month of May	658.90 (104.71)	593.91 (94.38)
Month of June	671.12 (106.65)	578.35 (91.91)

OIL PRODUCTION (M3)	2013	2012
Month of Dec	259 275.7	277 179.7
Cumulative Thru Dec 31	3 053 646.5	3 058 412.9

WEEKLY WELL ACTIVITY REPORT

04 August 2014

Lic. No.: 9423

ARC Waskada HZNTL A13-14-1-24 (WPM)
UWI: 102.13-14-001-24W1.00

Finished Drilling: 29-Jul-2014
Total Depth: 1720.00 m
Intermediate Casing: 139.70 mm @ 1720.00 m with 54.8 t
Rig Released: 31-Jul-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 31-Jul-2013

Lic. No.: 9424

ARC Waskada HZNTL B13-14-1-24 (WPM)
UWI: 103.13-14-001-24W1.00

Spud Date: 31-Jul-2014
K.B. Elevation: 530.23 m
Surface Casing: 219.10 mm @ 166.00 m with 14.5 t
Finished Drilling: 03-Aug-2014
Total Depth: 1678.00 m
Intermediate Casing: 139.70 mm @ 1678.00 m with 54.0 t
Rig Released: 04-Aug-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 04-Aug-2014

Lic. No.: 9425

ARC Waskada HZNTL C13-14-1-24 (WPM)
UWI: 104.13-14-001-24W1.00

Spud Date: 04-Aug-2014
K.B. Elevation: 529.48 m
Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9781

Corex Daly Sinclair HZNTL A8-36-9-29 (WPM)
UWI: 103.08-36-009-29W1.00

Spud Date: 02-Aug-2014
K.B. Elevation: 524.35 m
Surface Casing: 244.50 mm @ 147.00 m with 12.5 t
Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9838

Corval Daly Sinclair HZNTL 10-17-9-28 (WPM)
UWI: 100.10-17-009-28W1.00

Spud Date: 30-Jul-2014
K.B. Elevation: 511.40 m
Surface Casing: 244.50 mm @ 146.00 m with 14.0 t

Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9854

618555 SK Pierson HZNTL 13-25-1-29 (WPM)
UWI: 100.13-25-001-29W1.00

Intermediate Casing: 139.70 mm @ 2052.00 m with 39.9 t
Rig Released: 29-Jul-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 29-Jul-2014

Lic. No.: 9871

Legacy Coulter HZNTL 10-28-1-27 (WPM)
UWI: 100.10-28-001-27W1.00

Spud Date: 29-Jul-2014
K.B. Elevation: 458.17 m
Surface Casing: 219.10 mm @ 161.00 m with 20.0 t
Finished Drilling: 01-Aug-2014
Total Depth: 1641.00 m
Intermediate Casing: 139.70 mm @ 1641.00 m with 38.5 t
Rig Released: 02-Aug-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 02-Aug-2014

Lic. No.: 9872

Legacy Coulter HZNTL A10-28-1-27 (WPM)
UWI: 102.10-28-001-27W1.00

Spud Date: 03-Aug-2014
K.B. Elevation: 457.91 m
Surface Casing: 219.10 mm @ 161.00 m with 15.5 t
Status: Rigging Up BOP's (RIG BOP)
Rigging Up BOP's: 04-Aug-2014

Lic. No.: 9889

618555 SK Pierson HZNTL A13-25-1-29 (WPM)
UWI: 102.13-25-001-29W1.00

Revision to Report of: 12-May-2014
Contractor: CanElson Drilling Inc. – Rig #11

Spud Date: 29-Jul-2014
K.B. Elevation: 469.01 m
Surface Casing: 219.00 mm @ 150.00 m with 11.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9899

Sinclair Unit No. 1 Prov. HZNTL A4-4-8-29 (WPM)
UWI: 103.04-04-008-29W1.00

Revision to Report of: 26-May-2014
Contractor: Trinidad Drilling Ltd. – Rig #14

Spud Date: 29-Jul-2014
K.B. Elevation: 496.86 m
Surface Casing: 244.50 mm @ 139.00 m with 14.0 t
Intermediate Casing: 177.80 mm @ 1107.00 m with 14.4 t

Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9913

Waskada Unit No. 17 HZNTL 14-3-2-25 (WPM)
UWI: 103.14-03-002-25W1.00

Revision to Report of: 02-Jun-2014
Contractor: Precision Drilling – Rig #191

Spud Date: 31-Jul-2014
K.B. Elevation: 478.64 m
Surface Casing: 219.10 mm @ 151.00 m with 11.0 t
Intermediate Casing: 139.70 mm @ 1674.0 m with 47.0 t
Finished Drilling: 03-Aug-2014
Total Depth: 1674.00 m
Rig Released: 03-Aug-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 03-Aug-2014

Lic. No.: 9926

EOG et al Waskada HZNTL B15-23-1-25 (WPM)
UWI: 104.15-23-001-25W1.00

Revision to Report of: 02-Jun-2014
Contractor: Precision Drilling – Rig #191

Spud Date: 03-Aug-2014
K.B. Elevation: 477.82 m
Status: Running Casing (CSG)
Running Casing: 04-Aug-2014

Lic. No.: 9930

Waskada Unit No. 16 HZNTL 5-9-2-25 (WPM)
UWI: 103.05-09-002-25W1.00

Revision to Report of: 02-Jun-2014
Contractor: Precision Drilling – Rig #156

Spud Date: 03-Aug-2014
K.B. Elevation: 476.66 m
Surface Casing: 219.10 mm @ 151.00 m with 11.0 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 04-Aug-2014

Lic. No.: 9936

Tundra Virden HZNTL 12-21-11-26 (WPM)
UWI: 100.12-21-011-26W1.00

Spud Date: 01-Aug-2014
K.B. Elevation: 464.88 m
Surface Casing: 244.50 mm @ 152.00 m with 13.0 t
Intermediate Casing: 177.80 mm @ 740.00 m with 9.8 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 04-Aug-2014

Lic. No.: 9943

Waskada Unit No. 16 HZNTL 10-9-2-25 (WPM)
UWI: 102.10-09-002-25W1.00

Intermediate Casing: 139.70 mm @ 1718.00 m with 46.0 t

Finished Drilling: 02-Aug-2014
Total Depth: 1718.00 m
Rig Released: 03-Aug-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 03-Aug-2014

Lic. No.: 9954

Tundra et al Daly Sinclair HZNTL A9-21-8-28 (WPM)
UWI: 103.09-21-008-28W1.00 - Leg #1

Revision to Report of: 16-Jun-2014
Contractor: Trinidad Drilling Ltd. – Rig #12

Spud Date: 30-Jul-2014
K.B. Elevation: 502.47 m
Surface Casing: 244.50 mm @ 139.00 m with 12.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9956

Ewart Unit No. 5 Prov. HZNTL A16-34-8-28 (WPM)
UWI: 102.16-34-008-28W1.00 - Leg #1 ABD J
UWI: 102.16-34-008-28W1.02 – Leg #2

Note: Second UWI added for Leg #2

UWI: 102.16-34-008-28W1.00 - Leg #1
Status: Junked and Abandoned (ABD J)
Junked and Abandoned: 26-Jul-2014

UWI: 102.16-34-008-28W1.02 – Leg #2
Finished Drilling: 28-Jul-2014
Total Depth: 2250.00 m
Rig Released: 29-Jul-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 29-Jul-2014

Lic. No.: 9961

Elcano Two Creeks 14-31-12-26 (WPM)
UWI: 100.14-31-012-26W1.00

Revision to Report of: 23-Jun-2014
Contractor: Superior Drilling – Rig #5

Spud Date: 31-Jul-2014
K.B. Elevation: 468.36 m
Surface Casing: 219.10 mm @ 154.00 m with 9.5 t
Finished Drilling: 04-Aug-2014
Total Depth: 605.00 m
Status: Preparing To Run Casing (PREP CSG)
Preparing To Run Casing: 04-Aug-2014

Lic. No.: 9984

Tundra Daly Sinclair HZNTL 5-16-9-29 (WPM)
UWI: 100.05-16-009-29W1.00

Spud Date: 28-Jul-2014
K.B. Elevation: 538.22 m
Surface Casing: 244.50 mm @ 139.50 m with 13.5 t
Intermediate Casing: 139.70 mm @ 2451.50 m with 52.0 t
Finished Drilling: 02-Aug-2014
Total Depth: 2452.00 m
Rig Released: 03-Aug-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 03-Aug-2014

Lic. No.: 9987

Tundra Virden HZNTL 9-34-10-26 (WPM)
UWI: 100.09-34-010-26W1.00

Finished Drilling: 31-Jul-2014
Total Depth: 2196.00 m
Intermediate Casing: 139.70 mm @ 2195.00 m with 30.8 t
Rig Released: 01-Aug-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 01-Aug-2014

Lic. No.: 9989

Elcano Miniota 9-12-13-27 (WPM)
UWI: 100.09-12-013-27W1.00

Spud Date: 03-Aug-2014
K.B. Elevation: 467.88 m
Surface Casing: 219.10 mm @ 151.00 m with 11.0 t
Status: Waiting On Cement (WOC)
Waiting On Cement: 04-Aug-2014

Lic. No.: 9991

Fort Calgary Miniota HZNTL 14-6-13-27 (WPM)
UWI: 102.14-06-013-27W1.00

Revision to Report of: 14-Jul-2014
Contractor: Precision Drilling – Rig #219

Spud Date: 30-Jul-2014
K.B. Elevation: 488.61 m
Surface Casing: 244.50 mm @ 138.00 m with 14.0 t
Intermediate Casing: 177.80 mm @ 810.00 m with 40.0 t
Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9994

Tundra Daly Sinclair Prov. HZNTL 5-11-10-29 (WPM)
UWI: 100.05-11-010-29W1.00

Revision to Report of: 14-Jul-2014
Contractor: Trinidad Drilling Ltd. – Rig #10

Spud Date: 02-Aug-2014
K.B. Elevation: 527.64 m
Surface Casing: 244.50 mm @ 140.00 m with 12.0 t

Status: Drilling Ahead (DR)
Drilling Ahead: 04-Aug-2014

Lic. No.: 9996

Elcano Miniota 7-10-13-27 (WPM)
UWI: 100.07-10-013-27W1.00

Spud Date: 29-Jul-2014
K.B. Elevation: 474.76 m
Surface Casing: 219.10 mm @ 148.00 m with 9.5 t
Finished Drilling: 01-Aug-2014
Total Depth: 662.00 m
Production Casing: Run
Rig Released: 02-Aug-2014
Status: Waiting On Service Rig (WOSR)
Waiting On Service Rig: 02-Aug-2014

Lic. No.: 10008

Corex Daly Sinclair HZNTL 11-33-09-28 (WPM)
UWI: 100.11-33-009-28W1.00

Status: Moving in Rotary Tools (MIRT)
Moving in Rotary Tools: 04-Aug-2014

Lic. No.: 10011

Tundra Daly Sinclair Prov. HZNTL 8-15-9-29 (WPM)
UWI: 102.08-15-009-29W1.00

Spud Date: 03-Aug-2014
K.B. Elevation: 538.23 m
Status: Preparing to Run Casing (PREP CSG)
Preparing to Run Casing: 04-Aug-2014

Lic. No.: 10012

Paradise Daly Sinclair HZNTL A3-24-9-29 (WPM)
UWI: 102.03-24-009-29W1.00

Licence Issued: 31-Jul-2014
Licensee: Paradise Petroleums Ltd.
Mineral Rights: Paradise Petroleums Ltd.
Contractor: Ensign Canadian/Big Sky Drilling - Rig# 689
Surface Location: 03A-23-09-29
Co-ords: 80.00m (N) of (S) boundary of Sec. 23
735.76m (E) of (W) boundary of Sec. 23
Grd Elev: 527.09 m
Proj. TD: 2309 m (Mississippian)
Field: Daly Sinclair
Classification: DEVELOPMENT (NON CONFIDENTIAL)
Status: Location(LOC)